			TABLE NO					
	11111		STUDENT ID NO					
MULTIMEDIA		UNIVERSITY						
		CITE	CT COI	) F				

# MULTIMEDIA UNIVERSITY FINAL EXAMINATION

**TRIMESTER 1, 2019/2020** 

# TLD7011 - LOW LEVEL DESIGN OF SOFTWARE

(All sections / Groups)

23 SEPTEMBER 2019 2:30 pm - 4:30 pm ( 2 Hours )

Examiner 1 Signature:	
Examiner 2 Signature:	
Examiner 3 Signature:	

Question	Mark		
A			
В			
С			
D			
Total			

#### **INSTRUCTIONS TO STUDENTS**

- 1. This question paper consists of 6 printed pages (including cover page) with 4 Sections only.
- 2. Attempt ALL questions in SECTION A, SECTION B, SECTION C and SECTION D. The distribution of the marks for each question is given.
- 3. Please write all your answers **CLEARLY** in the answer booklet provided.

# Attempt ALL questions in SECTION A, B, C and D.

#### Section A (10 marks)

Consider the following SingletonPatternEx.java program.

```
// SingletonPatternEx.java
package singleton.pattern.demo;
class MakeACaptain
   private static MakeACaptain captain;
   //We make the constructor private to prevent the use of "new"
   private MakeACaptain() { }
  private static class SingletonHelper{
  //Nested class is referenced after getCaptain() is called
    private static final MakeACaptain captain = new MakeACaptain();
  } //end class SingletonHelper -
  public static MakeACaptain getCaptain()
    return SingletonHelper. captain;
} //end class MakeACaptain
class SingletonPatternEx
   public static void main(String[] args)
          System.out.println("***Singleton Pattern Demo***\n");
          System.out.println("Trying to make a captain for our team");
          //Put your code here
```

Based on the above context, answer the following questions Q-A1 to Q-A3:

A1. Rewrite the main method of SingletonPatternEx.java to produce the following output by creating two instances of singleton, and comparing whether they are the same instance.

 $F: \label{prop:linear} F: \label{prop:linear} Your Name > javac\ singleton \label{prop:linear} pattern \label{prop:linear} A constraint \ for all pattern \ for all pattern$ 

F:\YourName>java singleton.pattern.demo.SingletonPatternEx

\*\*\*Singleton Pattern Demo\*\*\*

Trying to make a captain for our team

Trying to make another captain for our team ct1 and ct2 are same instance

(5 marks)

A2. **Draw** a **Class Diagram** to show TWO (2) relationships within these two classes, plus the attributes and methods.

(5 marks)

# Section B (10 marks)

B1. Figure 1 shows a task dependency graph. Assuming that each task requires 1 unit of time, calculate the following metrics with workings.

(0.5 + 1 + 1 + 1 marks)

- I. Maximum degree of concurrency
- II. Critical path length
- III. Total amount of work
- IV. Average degree of concurrency





Fig. 1 Task Dependency Diagram

Continued...

B2. Write a table to show the mapping of the Adapter DP to the TextShape and TextView example given in the following class diagram. State the Adaptee, adapteeMethod(), Target, targetMethod(), Adapter, adapteeAggregationVariable, and Client in this scenario.



B3. Draw a class diagram for a typical Adapter DP with Adaptee class, adapteeMethod(), Target class, targetMethod(), Adapter class, adapteeAggregationVariable, and Client class.

(2.5 marks)

# Section C (10 marks)

C1. Describe the FOUR reasons why you do refactoring.

(4 marks)

C2. For each of the following codes, re-factor using the given method, pseudocode is acceptable. State the motivation to use the particular refactoring technique, and any special considerations that needs to be addressed.

(6 marks)

#### I. Encapsulate Field

```
1: public class Student
2: {
3:    public string FullName;
4:    public string University;
5:    public int Age;
6: }
```

Continued...

## II. Extract Hierarchy

```
1: public class Laptop
 2: {
        public void installProgram()
 3:
 4:
            // install some program
 6:
 7:
 8:
        public void runProgram()
 9:
10:
            // running program
        }
11:
12: }
```

### III. Extract Method

```
1: public class FlightReceipt
 2: {
 3:
        private IList<decimal> Discounts { get; set; }
        private IList<decimal> SeatTotals { get; set; }
 5:
        public decimal CalculateGrandTotal()
 6:
 7:
 8:
            decimal subTotal = 0m;
            foreach (decimal seatTotal in SeatTotals)
 9:
                subTotal += seatTotal;
10:
11:
12:
            if (Discounts.Count > 0)
13:
                foreach (decimal discount in Discounts)
14:
                    subTotal -= discount;
16:
17:
            decimal tax = subTotal * 0.050m;
18:
19:
20:
            subTotal += tax;
21:
22:
            return subTotal;
        }
23:
24:
```

Continued...

#### Section D (10 marks)

Generally, iterative local improvement methods are not sufficient to obtain high-quality solutions for large problems unless they are combined with other global search algorithms. This limitation has led to the creation of multilevel (or multiscale) optimization in which scale interactions of the given problem play an important role. The idea behind this is to create a hierarchy of smaller problems, which are easier to solve, and then work backward toward the solution of the original problem by using a solution inherited at the coarser level of the hierarchy to initialize the next-finer level. The hierarchy forms a basis to make global decisions for a given problem.

D1. State FIVE common problem areas that are candidates for above optimization.

(5 marks)

D2a. In inheritance, we discussed superclasses and subclasses. Which is the general class, and which is the specialized class?

D2b. What does it mean to say there is an "is a" relationship between two objects?

D2c. What does a subclass inherit from its superclass?

(1.5 marks)

D3. Explain what does each of the following command from the Java Development Kit (JDK) perform.

D3a. The java command.

D3b. The *javac* command.

(1 mark)

D4. Explain what does each of the following file extension means.

D4a. The \*.java file extension.

D4b. The \*.class file extension.

(1 mark)

D5. Explain THREE advantages of using the agile methodology as compared to using a traditional waterfall development methodology.

(1.5 marks)

END of Paper